ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE REGULATORY CONTACT RECORD

Date/Time:

03/20/2002/ 1300

Site Contact(s):

JR Marschall

Phone:

303-966-2372

Regulatory Contact: D. Kruchek

Steve Tower

Phone:

303-692-3328

303-966-2133

Agency:

CDPHE

DOE/RFFO

Purpose of Contact: CDPHE / RFFO approval to an alternate method from that

proposed in the RSOP notification letter (02-DOE-00108) that would leave the slab of the pit in room 103, Bldg. 886, in place along with the piping that is imbedded in the walls and floors of

room 103 during building demolition.

Discussion

During the weekly meeting held with DOE and CDPHE it was discussed that the pit floor in room 103 will not be removed (except for two areas of approximately 2' x 1' where the sampling was conducted), because sampling demonstrated this floor meets the free release criteria for uranium limits. This contact record is documentation of an alternative measure for dealing with the slab than what was proposed in the RSOP Notification letter that stated the 103 pit slab would be removed prior to building demolition.

Additionally, it was discussed that there are imbedded lines in the floors and the north wall that have been filled with a resin material. Since it was not possible to survey these lines in totality they will be considered low level waste. Prior to demolition the area of these lines will be painted with a highly visible paint so that during demolition care may be taken not to rupture these lines and they and the concrete immediately surrounding them can be segregated from the rest of the building and dispositioned as LLW.

Mr. Kruchek agreed with the alternative method of leaving the pit floor in place based on the analytical results that were provided, and with leaving the piping in place during building demolition.

Contact Record Prepared By: K. L. Myers

Contact Record 4/10/00

Rev. 10/11/00

DOCUMENT CLASSIFICATION

CEX-105-01

admin record B886-A-000050

Required Distribution:

- R. DiSalvo, RFFO
- S. MacLeod, RFFO
- J. Legare, RFFO
- S. Tower, RFFO
- N. Newell, CDPHE
- D. Kruchek, CDPHE
- S. Gunderson, CDPHE
- T. Rehder, USEPA
- P. Arnold, K-H 371
- J. Berardini, K-H MS
- C. Deck, K-H
- C. Gilbreath, K-H 771
- T. Hopkins, K-H 776
- S. Nesta, K-H RISS

- G. Scott, K-H
- D. Shelton, K-H
- K. North, K-H ESS
- A. Rosenman, K-H ESS
- J. Mead, K-H ESS
- J. Dischinger, RFCSS
- D. Johnson, K-H ESS

Additional Distribution:

- JR Marshall, K-H
- K. Myers, K-H
- D. Parsons, K-H
- C. Randall, KHC
- R. Seagoe, KHC

